



First Quality, Best Service. We provide not only the products, but also the SOLUTION

VDP-850 paper punching machine (tear off waste automatic)



Usage:

The machine adopt the automatic punching type die cutting technology, it make the paper products roll slitting, die cutting and clear waste in one process. Effectively improve the utilization rate of raw material and finished product rate.





Technical Parameter:

| MODEL | VDP-850 |
|----------------------------|----------------------|
| Punching speed | 150-200 times/min |
| Maximum feed width | 850mm |
| Maximum unwinding diameter | 1300mm |
| Maximum die cutting width | 850mm*300mm |
| positioning accuracy | ±0.15mm |
| Voltage | 380V± |
| Total power | 10kw |
| Lubrication system | manual |
| Machine weight | 3000kg |
| Dimensions | 3000mmX1400mmX2000mm |

Performance:

- 1.Reduce the flatbed die cutting clear waste, direct cutting out the samples and incision smoothness, also greatly reducing the energy consumption and manpower.
- 2.This machine uses professional high-precision clearance to deliver the paper institutions and high speed automatic give paper, realize the lose paper smoothly, accurate positioning and paper collection neatly.
- 3.Adopt PLC microcomputer control system and the LCD visual interface, realize the machine working automatic.
- 4.Machine key parts, control system and fasteners used imported products elaborate assembly. Ensure the machine pressure stable, accurate positioning, safe and reliable.
- 5.This machine is the convenient food wrapping paper bowl,paper boxes, paper cups ,ect. Various kinds of paper products die cutting of the ideal equipment.







Machine pictures:





Machine detail:

| NO. | Picture |
|-----|---|
| 1 | <p data-bbox="276 349 1244 427">Unwinding adopt tension control Magnetic powder tension control to control the raw materials unwinding .</p>  |
| 2 | <p data-bbox="276 1261 1268 1339">Photoelectric eye photocell is suitable for tracking the edge and color of transparent material.</p>  |






Feeding system




3





Punching system

4



Main Component:

| Name | Description |
|------------------------------------|------------------|
| Standard mold | 1set |
| Main gear motor | 4.0KW (Shanghai) |
| unwinding magnetic powder brake | 1set |
| Automatic lifting hydraulic system | 1set |
| Inductive photoelectric eye | 2pcs |
| Tracking color photoelectric eye | 1pc (Italy) |
| Feeding gear motor | 1.5KW |
| Frequency converter | 4.0KW (delta) |
| servo motor | 3KW 1pc (delta) |
| touch screen | (weinview) |
| PLC | (delta) |
| Base pad | (6 pcs) |
| Separate loader | 1set |
| Tool box | |

Thanks for reading! Any questions or concerns please feel free to contact us.



Wenzhou VIE machinery Co., Ltd.

t: 0086-577-65839395 m: +86 150 5760 1439

a: Shangcheng Avenue 168, Wenzhou city, Zhejiang Province, China

e: info@viemachinery.com w: www.viemachinery.com



Find us on WhatsApp: +86 150 5760 1439

